

## ACM40SDA

AC MODULAR COMBINER BOX SINGLE PHASE MCB 40A RCCB TYPE A 30MA



<b>Code</b>	029ACM40SDA
<b>EAN</b>	8430892311441

**Product description**

Modular combiner box with mcb, rccb and overvoltage protection . Modular circuit breaker two pole 40A C curve breaking capacity 6kA - EN 60898-1. Residual current circuit breaker two pole type A sensitivity 30mA for alternating current with pulsed direct current, protected against nuisance tripping 0,25kA, EN 61008-1. Overvoltage protection ClassII In 20kA I<sub>max</sub> 40kA Up 1,5kV EN 61643-11 with associated fuse protection. Double insulation Class II box in polycarbonate material for indoor and outdoor use with high impact resistance (IK08). Dimensions de 231x238x118mm

## Combiner box technical data

MCB - Circuit breaker	40 A
Curve	C
Breaking capacity EN 60898-1	6 kA
RCCB type	A - 30mA (EN 61008-1)
producte.Monotri	Mono
Diferential type	30mA
Surge protector code	PSTC40
Surge protector type	II
Nominal discharge current (In)	20 kA
Maximum discharge current (Imax)	40 kA
Protection level at In (Up)	1.5 kV
Ingress protection IP	IP65 - IEC 60529
Impact protection IK	IK08 - IEC 62262
Standards	IEC EN 6143-1/2


## Dimensions

Product height	231 mm
Product width	238 mm
Product length	120 mm
Product weight (kg)	1.8

## Logistic data

Customs code	85371098
--------------	----------

## Connection



## Dimensions

---

